


## POLE TYPE SMALL LIGHT BEACONS




- \* RSL-P101S consists of P-3BS and 1 meter pole
- \* RSL-P201S consists of P-3BS and 2 meter pole
- \* RSL-P301S consists of P-3BS and 3 meter pole

### SPECIFICATIONS

TYPE	RSL-P101S	RSL-P201S	RSL-P301S
HEIGHT OVERALL	APPROX.1.6m	APPROX.2.6m	APPROX.3.6m
FOCAL PLANE HEIGHT	APPROX.1.5m	APPROX.2.5m	APPROX.3.5m
BODY DIAMETER	φ110mm		
TOTAL WEIGHT	APPROX.17kg	APPROX.64kg	APPROX.100kg
LENS	φ123mm FRESNEL LENS		
CHARACTERISTICS	12V,4.8W LED LAMP Fl.4sec.		
LIGHT COLOR	CLEAR, YELLOW, RED OR GREEN		
POWER SOURCE	SOLAR PANEL & RECHARGEABLE BATTERY		
BATTERY LIFE	-		
BODY MATERIAL	STEEL		

## POLE TYPE SMALL LIGHT BEACONS




### SPECIFICATIONS

TYPE	RSL-10SB	RSL-20SB
HEIGHT OVERALL	APPROX.1.5m	APPROX.2.5m
FOCAL PLANE HEIGHT	APPROX.1.3m	APPROX.2.3m
TOTAL WEIGHT	APPROX.60kg	APPROX.64kg
LANTERN	FA-249	
LENS	φ155mm FRESNEL LENS	
CHARACTERISTICS	12V,6.6W Fl.4sec.	
LENS COLOR	CLEAR, YELLOW, RED OR GREEN	
POWER SOURCE	SOLAR PANEL & RECHARGEABLE BATTERY	
BATTERY LIFE	-	
BODY MATERIAL	STEEL, HOT DIP GALVANIZED	



## POLE TYPE SMALL LIGHT BEACONS

### Solar Powered Light Beacons Maintenance Free Battery




### SPECIFICATIONS

TYPE	RSL-P202S	RSL-P302S	RSL-P203S	RSL-P303S	RSL-P503S
HEIGHT OVERALL	APPROX.2.4m	APPROX.3.4m	APPROX.2.4m	APPROX.3.4m	APPROX.5.4m
FOCAL PLANE HEIGHT	APPROX.2.2m	APPROX.3.2m	APPROX.2.2m	APPROX.3.2m	APPROX.5.3m
BODY DIAMETER	APPROX.φ318.5mm		APPROX.φ318.5mm & φ500mm		
TOTAL WEIGHT	APPROX.170kg	APPROX.220kg	APPROX.350kg	APPROX.400kg	APPROX.470kg
LANTERN	RL-123				
LENS	φ123mm FRESNEL LENS				
CHARACTERISTICS	12V,4.8W LED LAMP Fl.4sec.				
LIGHT COLOR	CLEAR, YELLOW, RED OR GREEN				
POWER SOURCE	SOLAR PANEL & RECHARGEABLE BATTERY				
BODY MATERIAL	STEEL				

Note:

\*RSL-P202S is in the same series as RSL-P302S, however RSL-P202S has a 2m pole and RSL-P302S has a 3m pole.

\*RSL-P203S and RSL-P303S are in the same series as RSL-P503S, however RSL-P203S has a 2m pole; RSL-P303S has a 3m pole and RSL-P503S has a 5m pole.



## ANTI-WAVE TYPE WITH PROTECTOR FROM WAVE

### SPECIFICATIONS

TYPE	RSL-P202SW	RSL-P302SW	RSL-P203SW	RSL-P303SW	RSL-P503SW
HEIGHT OVERALL	APPROX.2.4m	APPROX.3.4m	APPROX.2.4m	APPROX.3.4m	APPROX.5.4m
FOCAL PLANE HEIGHT	APPROX.2.2m	APPROX.3.2m	APPROX.2.2m	APPROX.3.2m	APPROX.5.3m
BODY DIAMETER	APPROX.φ318.5mm		APPROX.φ318.5mm & φ500mm		
TOTAL WEIGHT	APPROX.230kg	APPROX.280kg	APPROX.400kg	APPROX.470kg	APPROX.520kg
LANTERN	RL-123				
LENS	φ123mm FRESNEL LENS				
CHARACTERISTICS	12V,4.8W LED LAMP Fl.4sec.				
LIGHT COLOR	CLEAR, YELLOW, RED OR GREEN				
POWER SOURCE	SOLAR PANEL & RECHARGEABLE BATTERY				
BODY MATERIAL	STEEL				

Note:

\*RSL-P202SW is in the same series as RSL-P302SW, however RSL-P202SW has a 2m pole and RSL-P302SW has a 3m pole.

\*RSL-P203SW and RSL-303SW are in the same series as RSL-P503SW, however RSL-P203SW has a 2m pole; RSL-P303SW has a 3m pole and RSL-503SW has a 5m pole.